

Message

From: AccardiDey, AmyMarie [AmyMarie.Accardi-Dey@wsp.com]
Sent: 7/20/2020 10:01:52 AM
To: Smeraldi, Josh [Smeraldi.Josh@epa.gov]; Sivak, Michael [Sivak.Michael@epa.gov]
CC: Warner, Leonard [len.warner@wsp.com]; Franklin, Elizabeth A CIV USARMY CENWK (USA) [Elizabeth.A.Franklin@usace.army.mil]
Subject: Riverside FS July 20 Version
Attachments: Appendix A_PPG 071720.pdf; Appendix B_EPA 071020.pdf; FS Report Tables 072020.pdf; Riverside Final Feasibility Study Report 07172020 (EPA comments 072020).docx; Riverside Final Feasibility Study Report 07172020 (EPA 072020).pdf

Josh and Michael – Attached are five (5) Riverside FS files dated July 20. Files include

- Text (track change)
- Text (clean PDF version) – Date changed to July 20 and the words “privileged and confidential” removed from header
- Appendix A – no change from PPG July 17 version
- Appendix B – resending EPA July 10 version
- Tables – Compiled using EPA July 10 version for Tables 5-1, 6-1, 6-2, and 6-3. Note that Table 5-1 was updated on July 20 to state that GW Alternative 5 was not retained because the barrier wall was not feasible and alternative will not address site-wide ARAR exceedances.

I cannot attach the figures because of the file size, but you want to use PPG July 17 version.

I am in the field today (Monday) but can be reached via mobile at Ex. 6 Personal Privacy (PP) Please call or send a text message.

Regards
AM

AmyMarie Accardi-Dey, PhD, PG, CPC
Director | Water & Environmental Systems



Phone: 1-914-620-5110
Office: 1-914-798-3710
Email: AmyMarie.Accardi-Dey@wsp.com

WSP USA
565 Taxter Road, Suite 510
Elmsford, New York 10523

wsp.com

NOTICE: This communication and any attachments ("this message") may contain information which is privileged, confidential, proprietary or otherwise subject to restricted disclosure under applicable law. This message is for the sole use of the intended recipient(s). Any unauthorized use, disclosure, viewing, copying, alteration, dissemination or distribution of, or reliance on, this message is strictly prohibited. If you have received this message in error, or you are not an authorized or intended recipient, please notify the sender immediately by replying to this message, delete this message and all copies from your e-mail system and

ED_005342A_00008222-00001

destroy any printed copies.